

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 737-235

SESSER et al.

C# M#

TC/A.U.

3752

Serial No. 10/634,747

Examiner: Nguyen

Filed: August 6, 2003

Date: October 27, 2005

Title: ADJUSTABLE AREA FLOW RATE SPRINKLER



\$ 175.00
CC

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.****Fees are attached as calculated below:**

Total effective claims after amendment	31	minus highest number			
previously paid for	30	(at least 20) =	1	x \$50.00	\$50.00 (1202)/\$25.00 (2202) \$ 25.00

Independent claims after amendment	4	minus highest number			
previously paid for	4	(at least 3) =	0	x \$200.00	\$0.00 (1201)/\$0.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add
\$360.00 (1051)/\$180.00 (2051) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s)
One Month Extension \$120.00 (1251)/\$60.00 (2251)
Two Month Extensions \$450.00 (1252)/\$225.00 (2252)
Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)
Four Month Extensions \$1590.00 (1254)/\$795.00 (2254) \$

Terminal disclaimer enclosed, add \$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee \$180.00 (1806) \$

Assignment Recording Fee \$40.00 (8021) \$

Other: \$

TOTAL FEE ENCLOSED \$ 25.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

901 North Glebe Road, 11th Floor
Arlington, Virginia 22203-1808
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
MJK:rrl

NIXON & VANDERHYE P.C.

By Atty: Michael J. Keenan, Reg. No. 32,106

Signature: 



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

SESSER et al.

Atty. Ref.: 737-235; Confirmation No. 7862

Appl. No. 10/634,747

TC/A.U. 3752

Filed: August 6, 2003

Examiner: Nguyen

For: ADJUSTABLE ARC, ADJUSTABLE FLOW RATE SPRINKLER

* * * * *

October 27, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

In response to the official action of August 8, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2.

Amendments to the Claims are reflected in the listing of claims which begins on page 3.

Remarks/Arguments begin on page 11.

10/28/2005 JADD01 00000108 10634747

01 FC:2202

25.00 0P